



B1117900323
DULBERG, PAUL R
M 41Y
06/28/2011
0000109381

CentegraHealthSystem

EMERGENCY ADMISSION ASSESSMENT

Time	Blood pressure	Pulse	Resp	Temp	SpO2	O2	GCS E/V/M	Monitor	Intake	Output
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
Orthostatic Lying:		Sitting:		Standing:						

Treatments/Procedures:

☐ O₂ Therapy: _____ ☐ Intubated: _____ ☐ Respiratory treatment: _____ Neb Tx: _____ ☐ Cont Pulse Ox _____
☐ Chest tube: _____ ☐ Time Out: _____ ☐ Eye irrigation: _____ ☐ Ear irrigation: _____
☐ NG tube # _____ @ _____ Character: _____ ☐ Gastric lavage: _____
☐ Lumbar puncture: _____ ☐ Time Out: _____ ☐ See neuro assessment sheet
☐ Polyic exam: _____ Straight Cath/CUD @ _____ ☐ Bladder scan Amount: _____
☐ Blood Glucose value: _____ Time: _____ By: _____ ☐ Continuous Cardiac Monitoring
 Normal Values Age 60 or more (80-99 mg/dl), 13-60 yr. (75-99), 1 mo.-13 yr. (60-99) Critical Value less than 40 or more than 400
 Normal Value: Age newborn to 1d (40-80 mg/dl) 1d-1 Mo. (50-99) Critical Value less than 40 or more than 200

☐ Wound Care: _____ ☐ Dressing: _____ ☐ Ortho Care: _____ ☐ Crutches
☒ Irrigation: 1 liter NS ☐ Antibiotic _____ ☐ Ice Time: _____ ☐ Cast _____ ☐ Patient's own crutches
☐ Soak: _____ ☐ Adaptic _____ ☐ Elevate Time: _____ ☐ Sling _____ ☐ Crutch walking instr/ret demo
☒ Antiseptic Wash _____ ☐ 4X4 _____ ☐ Splint: _____ ☐ Tubi Grip _____ ☐ Velcro Splint: _____
☐ Other: _____ ☐ Kling _____ ☐ Knee immobilizer: _____ ☐ Posterior mold: _____
☐ Tube gauze _____ ☐ Shoulder immobilizer _____ ☐ Location: _____
☐ Steristrip _____ ☐ Ace Wrap _____ ☐ Width: _____
 Isolation Type: _____ ☐ Burn dressing _____ ☐ SMV's after immobilization _____ ☐ Length: _____

DISPOSITION: ☒ Home ☐ Jail ☐ Nursing home/ECC
☐ Other facility: _____ ☐ Expired ☐ AMA
 Mode: ☐ W/C ☒ Walk ☐ Carry ☐ Ambulance: _____
☐ Other: _____
 LEFT WITH: ☐ Self ☐ Family ☒ Friend ☐ Police
☒ Discharge Instructions given-expresses understanding
☒ Discharge Pain Level: 4 (0-10) GCS: 15 RTS: _____
☒ Discharge by: W. DOBRO @ 1713

Discharge Vital Signs: _____

Discharge Summary: _____

RN: W. DOBRO Initials: WDO RN: _____ Initials: _____
 Tech: Rebecca R. O'Leary Initials: RO Tech: _____ Initials: _____

☐ Inpatient ☐ Observation ☐ Surgical
☐ Mode: _____ Time: _____ Accompanied by: _____
☐ ER hold from _____ to _____
☐ To unit/room # _____
☐ No old chart ☐ Old chart in ED ☐ Chart to floor
☐ Discharge Pain Level: _____ (0-10)
 GCS: _____ RTS: _____
 Skin Integrity Intact ☐ Yes ☐ No (see documentation)

EMERGENCY ADMISSION ASSESSMENT
 PRINTED BY: MBG
 DATE 09/14/2012



B1117900323

DULBERG, DALE D

M 41Y

06/28/2011

0000109381

CentegraHealthSystem

EMERGENCY ADMISSION ASSESSMENT

Time	Blood pressure	Pulse	Resp	Temp	SpO2	O2	GCS E/V/M	Monitor	Intake	Output
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
Orthostatic		Lying:		Sitting:		Standing:				

Treatments/Procedures:

☐ O₂ Therapy: _____ ☐ Intubated _____ ☐ Respiratory treatment: _____ Neb Tx: _____ ☐ Cont Pulse Ox _____
☐ Chest tube: _____ ☐ Time Out: _____ ☐ Eye irrigation: _____ ☐ Ear irrigation: _____
☐ NG tube # _____ @ _____ Character: _____ ☐ Gastric lavage: _____
☐ Lumbar puncture: _____ ☐ Time Out: _____ ☐ See neuro assessment sheet
☐ Pelvic exam: _____ Straight Cath/CUD @ _____ ☐ Bladder scan Amount: _____
 Blood Glucose value: _____ Time: _____ By: _____ ☐ Continuous Cardiac Monitoring
 Normal Values Age 60 or more (80-99 mg/dl), 13-60 yr. (75-99), 1 mo.-13 yr. (60-99) Critical Value less than 40 or more than 400
 Normal Value: Age newborn to 1d (40-60 mg/dl) 1d-1 Mo. (50-99) Critical Value less than 40 or more than 200

☒ Wound Care: _____ ☐ Dressing: _____ ☐ Ortho Care: _____ ☐ Crutches
☒ Irrigation: 1 Liter NS ☐ Antibiotic _____ ☐ Ice Time: _____ ☐ Cast _____ ☐ Patient's own crutches
☐ Soak: _____ ☐ Adaptic _____ ☐ Elevate Time: _____ ☐ Sling _____ ☐ Crutch walking instr/ret demo
☒ Antiseptic Wash _____ ☐ 4X4 _____ ☐ Splint: _____ ☐ Tubi Grip _____ ☐ Velcro Splint: _____
☐ Other: _____ ☐ Kling _____ ☐ Knee immobilizer: _____ ☐ Posterior mold: _____
☐ Tube gauze _____ ☐ Shoulder Immobilizer _____ ☐ Location: _____
☐ Steristrip _____ ☐ Ace Wrap _____ ☐ Width: _____
 Isolation Type: _____ ☐ Burn dressing _____ ☐ SMV's after immobilization _____ ☐ Length: _____

DISPOSITION: ☒ Home ☐ Jail ☐ Nursing home/ECC
☐ Other facility: _____ ☐ Expired ☐ AMA
 Mode: ☒ W/C ☐ Walk ☐ Carry ☐ Ambulance: _____
☐ Other: _____
 LEFT WITH: ☐ Self ☐ Family ☒ Friend ☐ Police
☒ Discharge Instructions given-expresses understanding
☒ Discharge Pain Level: 4 (0-10) GCS: 15 RTS: _____
☒ Discharge by: W. D. Bogio @ 1713

☐ Inpatient ☐ Observation ☐ Surgical
☐ Mode: _____ Time: _____ Accompanied by: _____
☐ ER hold from _____ to _____
☐ To unit/room # _____
☐ No old chart ☐ Old chart in ED ☐ Chart to floor
☐ Discharge Pain Level: _____ (0-10)
 GCS: _____ RTS: _____
 Skin Integrity Intact ☐ Yes ☐ No (see documentation)

Discharge Vital Signs:

Discharge Summary:

RN: W. D. Bogio Initials: WDB Tech: Rebecca R. O'Neil Initials: PRO Initials: _____ RN: _____ Initials: _____

EMERGENCY ADMISSION ASSESSMENT

PRINTED BY: 9180422

DATE 12/08/2011

B1117900323
 DULBERG, PAUL R
 M 41Y 03/19/1970
 06/28/2011
 0000109381

EMERGENCY ADMISSION ASSESSMENT

Time	Blood pressure	Pulse	Resp	Temp	SpO2	O2	GCS E/V/M	Monitor	Intake	Output
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
Orthostatic Lying:		Sitting:		Standing:						

Treatments/Procedures:

☐ O₂ Therapy: _____ ☐ Intubated _____ ☐ Respiratory treatment: _____ Neb Tx: _____ ☐ Cont Pulse Ox _____
☐ Chest tube: _____ ☐ Time Out: _____ ☐ Eye irrigation: _____ ☐ Ear Irrigation: _____
☐ NG tube # _____ @ _____ Character: _____ ☐ Gastric lavage: _____
☐ Lumbar puncture: _____ ☐ Time Out: _____ ☐ See neuro assessment sheet
☐ Pelvic exam: _____ Straight Cath/CUD @ _____ ☐ Bladder scan Amount: _____
 Blood Glucose value: _____ Time: _____ By: _____ ☐ Continuous Cardiac Monitoring
 Normal Values Age 60 or more (80-99 mg/dl), 13-60 yr. (75-99), 1 mo.-13 yr. (60-99) Critical Value less than 40 or more than 400
 Normal Value: Age newborn to 1d (40-80 mg/dl) 1d-1 Mo. (50-99) Critical Value less than 40 or more than 200

☒ Wound Care: 1 Lacer NS ☐ Dressing: _____ ☐ Ortho Care: _____ ☐ Crutches
☒ Irrigation: _____ ☐ Antibiotic _____ ☐ Ice Time: _____ ☐ Cast _____ ☐ Patient's own crutches
☐ Soak: _____ ☐ Adaptive _____ ☐ Elevate Time: _____ ☐ Sling _____ ☐ Crutch walking instr/ret demo
☒ Antiseptic Wash _____ ☐ 4X4 _____ ☐ Splint: _____ ☐ Tubi Grip _____ ☐ Velcro Splint: _____
☐ Other: _____ ☐ Kling _____ ☐ Knee immobilizer: _____ ☐ Posterior mold: _____
☐ Tube gauze _____ ☐ Shoulder immobilizer _____ ☐ Location: _____
☐ Steri-strip _____ ☐ Ace Wrap _____ ☐ Width: _____
 Isolation Type: _____ ☐ Burn dressing _____ ☐ SMV's after immobilization _____ ☐ Length: _____

DISPOSITION: ☒ Home ☐ Jail ☐ Nursing home/ECC

☐ Other facility: _____ ☐ Expired ☐ AMA

Mode: ☐ W/C ☒ Walk ☐ Carry ☐ Ambulance: _____

☐ Other: _____

LEFT WITH: ☐ Self ☐ Family ☒ Friend ☐ Police

☒ Discharge instructions given-expresses understanding

☒ Discharge Pain Level: 4 (0-10) GCS: 15 RTS: _____

☒ Discharge by: W. D. O. B. I. S. @ 1713

Discharge Vital Signs: _____

Discharge Summary: _____

RN: W. D. O. B. I. S. Initials: WDO

Tech: Rebecca R. O. B. I. S. Initials: ROB

☐ Inpatient ☐ Observation ☐ Surgical

☐ Mode: _____ Time: _____ Accompanied by: _____

☐ ER hold from _____ to _____

☐ To unit/room # _____

☐ No old chart ☐ Old chart in ED ☐ Chart to floor

☐ Discharge Pain Level: _____ (0-10)

GCS: _____ RTS: _____

Skin Integrity Intact ☐ Yes ☐ No (see documentation)

EMERGENCY ADMISSION ASSESSMENT
 PRINTED BY: NS60524

DATE 09/14/2012



B1117900323
 DULBERG, PAUL R
 M 41Y 03/19/1970
 08/28/2011
 0000109381

EMERGENCY ADMISSION ASSESSMENT

Time	Blood pressure	Pulse	Resp	Temp	SpO2	O2	GCS E/VIM	Monitor	Intake	Output
							/ \			
							/ \			
							/ \			
							/ \			
							/ \			
							/ \			
							/ \			
							/ \			
Orthostatic Lying:		Sitting:		Standing:						

Treatments/Procedures:

☐ O₂ Therapy: _____ ☐ Intubated _____ ☐ Respiratory treatment: _____ Neb Tx: _____ ☐ Cont Pulse Ox _____
☐ Chest tube: _____ ☐ Time Out: _____ ☐ Eye irrigation: _____ ☐ Ear irrigation: _____
☐ NG tube # _____ @ _____ Character: _____ ☐ Gastric lavage: _____
☐ Lumbar puncture: _____ ☐ Time Out: _____ ☐ See neuro assessment sheet
☐ Pelvic exam: _____ Straight Cath/CUD @ _____ ☐ Bladder scan Amount: _____
 Blood Glucose value: _____ Time: _____ By: _____ ☐ Continuous Cardiac Monitoring
 Normal Values Age 60 or more (80-99 mg/dl), 13-60 yr. (75-99), 1 mo.-13 yr. (60-99) Critical Value less than 40 or more than 400
 Normal Value: Age newborn to 1d (40-80 mg/dl) 1d-1 Mo. (50-99) Critical Value less than 40 or more than 200

☒ Wound Care: 1 Lacer NS ☐ Dressing: _____ ☐ Ortho Care: _____ ☐ Crutches
☒ Irrigation: 1 Liter NS ☐ Antibiotic _____ ☐ Ice Time: _____ ☐ Cast _____ ☐ Patient's own crutches
☐ Soak: _____ ☐ Adaptic _____ ☐ Elevate Time: _____ ☐ Sling _____ ☐ Crutch walking instr/ret demo
☒ Antiseptic Wash ☐ 4X4 _____ ☐ Splint: _____ ☐ Tubi Grip _____ ☐ Velcro Splint: _____
☐ Other: _____ ☐ Kling _____ ☐ Knee immobilizer: _____ ☐ Posterior mold: _____
☐ Tube gauze _____ ☐ Shoulder immobilizer _____ ☐ Location: _____
☐ Steristrip _____ ☐ Ace Wrap _____ ☐ Width: _____
 Isolation Type: _____ ☐ Burn dressing _____ ☐ SMV's after immobilization _____ ☐ Length: _____

DISPOSITION: ☒ Home ☐ Jail ☐ Nursing home/ECC

☐ Other facility: _____ ☐ Expired ☐ AMA

Mode: ☒ W/C ☒ Walk ☐ Carry ☐ Ambulance: _____

☐ Other: _____

LEFT WITH: ☐ Self ☐ Family ☒ Friend ☐ Police

☒ Discharge instructions given-expresses understanding

☒ Discharge Pain Level: 4 (0-10) GCS: 15 RTS: _____

☒ Discharge by: W. D. O. G. I. O. S. @ 1713

Discharge Vital Signs:

Discharge Summary

RN: W. D. O. G. I. O. S. Initials: WDO

Tech: Rebecca R. O. H. S. Initials: ROH

☐ Inpatient ☐ Observation ☐ Surgical

☐ Mode: _____ Time: _____ Accompanied by: _____

☐ ER hold from _____ to _____

☐ To unit/room # _____

☐ No old chart ☐ Old chart in ED ☐ Chart to floor

☐ Discharge Pain Level: _____ (0-10)

GCS: _____ RTS: _____

Skin Integrity Intact ☐ Yes ☐ No (see documentation)

EMERGENCY ADMISSION ASSESSMENT
 PRINTED BY: 8130422

DATE 12/08/2011

Centegra Hospital-McHenry

CentegraHealthSystem



B1117900323
DULBERG, PAUL R
M 41Y 03/19/1970
06/28/2011
0000109381

EMERGENCY ADMISSION ASSESSMENT

Time	Blood pressure	Pulse	Resp	Temp	SpO2	O2	GCS E/V/M	Monitor	Intake	Output
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
Orthostatic Lying:		Sitting:		Standing:						

Treatments/Procedures:

☐ O₂ Therapy: _____ ☐ Intubated _____ ☐ Respiratory treatment: _____ Neb Tx: _____ ☐ Cont Pulse Ox _____
☐ Chest tube: _____ ☐ Time Out: _____ ☐ Eye irrigation: _____ ☐ Ear irrigation: _____
☐ NG tube # _____ @ _____ Character: _____ ☐ Gastric lavage: _____
☐ Lumbar puncture: _____ ☐ Time Out: _____ ☐ See neuro assessment sheet
☐ Pelvic exam: _____ Straight Cath/CUD @ _____ ☐ Bladder scan Amount: _____
☐ Blood Glucose value: _____ Time: _____ By: _____ ☐ Continuous Cardiac Monitoring
 Normal Values Age 80 or more (80-99 mg/dl), 13-60 yr. (75-99), 1 mo.-13 yr. (80-99) Critical Value less than 40 or more than 400
 Normal Value: Age newborn to 1d (40-60 mg/dl) 1d-1 Mo. (50-99) Critical Value less than 40 or more than 200

☐ Wound Care: _____ ☐ Dressing: _____ ☐ Ortho Care: _____ ☐ Crutches _____
☒ Irrigation: 1 Liter NS ☐ Antibiotic _____ ☐ Ice Time: _____ ☐ Cast _____ ☐ Patient's own crutches _____
☐ Soak: _____ ☐ Adaptive _____ ☐ Elevate Time: _____ ☐ Sling _____ ☐ Crutch walking instr/ret demo _____
☒ Antiseptic Wash _____ ☐ 4X4 _____ ☐ Splint: _____ ☐ Tubi Grip _____ ☐ Velcro Splint: _____
☐ Other: _____ ☐ Kling _____ ☐ Knee immobilizer: _____ ☐ Posterior mold: _____
☐ Tube gauze _____ ☐ Shoulder immobilizer _____ ☐ Location: _____
☐ Steristrip _____ ☐ Ace Wrap _____ ☐ Width: _____
 Isolation Type: _____ ☐ Burn dressing _____ ☐ SMV's after immobilization _____ ☐ Length: _____

DISPOSITION: ☒ Home ☐ Jail ☐ Nursing home/ECC
☐ Other facility: _____ ☐ Expired ☐ AMA
 Mode: ☐ W/C ☒ Walk ☐ Carry ☐ Ambulance: _____
☐ Other: _____
 LEFT WITH: ☐ Self ☐ Family ☒ Friend ☐ Police
☒ Discharge instructions given-expresses understanding
☒ Discharge Pain Level: 4 (0-10) GCS: 5 RTS: _____
☒ Discharge by: WADOBIG @ 1713

☐ Inpatient ☐ Observation ☐ Surgical
☐ Mode: _____ Time: _____ Accompanied by: _____
☐ ER hold from _____ to _____
☐ To unit/room # _____
☐ No old chart ☐ Old chart in ED ☐ Chart to floor
☐ Discharge Pain Level: _____ (0-10)
 GCS: _____ RTS: _____

Discharge Vital Signs:

Discharge Summary

RN: WADOBIG

Tech: Rebecca Roth

EMERGENCY ADMISSION ASSESSMENT

Page 4 of 4



B1117900323
 DULBERG, PAUL R
 M 41Y 03/19/1970
 06/28/2011
 0000109381

CentegraHealthSystem

EMERGENCY ADMISSION ASSESSMENT

Time	Blood pressure	Pulse	Resp	Temp	SpO2	O2	GCS E/V/M	Monitor	Intake	Output
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
							/ /			
Orthostatic Lying:		Sitting:		Standing:						

Treatments/Procedures:

☐ O₂ Therapy: _____ ☐ Intubated _____ ☐ Respiratory treatment: _____ Neb Tx: _____ ☐ Cont Pulse Ox _____
☐ Chest tube: _____ ☐ Time Out: _____ ☐ Eye irrigation: _____ ☐ Ear irrigation: _____
☐ NG tube # _____ @ _____ Character: _____ ☐ Gastric lavage: _____
☐ Lumbar puncture: _____ ☐ Time Out: _____ ☐ See neuro assessment sheet
☐ Polyic exam: _____ Straight Cath/CUD @ _____ ☐ Bladder scan Amount: _____
 Blood Glucose value: _____ Time: _____ By: _____ ☐ Continuous Cardiac Monitoring
 Normal Values Age 60 or more (80-99 mg/dl), 13-60 yr. (75-99), 1 mo.-13 yr. (60-99) Critical Value less than 40 or more than 400
 Normal Value: Age newborn to 1d (40-60 mg/dl) 1d-1 Mo. (50-99) Critical Value less than 40 or more than 200

☒ Wound Care: _____ ☐ Dressing: _____ ☐ Ortho Care: _____ ☐ Crutches
☒ Irrigation: 1 liter NS ☐ Antibiotic _____ ☐ Ice Time: _____ ☐ Cast _____ ☐ Patient's own crutches
☐ Soak: _____ ☐ Adaptic _____ ☐ Elevate Time: _____ ☐ Sling _____ ☐ Crutch walking Instr/rot demo
☒ Antiseptic Wash _____ ☐ 4X4 _____ ☐ Splint: _____ ☐ Tubi Grip _____ ☐ Velcro Splint: _____
☐ Other: _____ ☐ Kling _____ ☐ Knee immobilizer: _____ ☐ Posterior mold: _____
☐ Tube gauze _____ ☐ Shoulder immobilizer _____ ☐ Location: _____
☐ Steristrip _____ ☐ Ace Wrap _____ ☐ Width: _____
 Isolation Type: _____ ☐ Burn dressing _____ ☐ SMV's after immobilization _____ ☐ Length: _____

DISPOSITION: ☒ Home ☐ Jail ☐ Nursing home/ECC
☐ Other facility: _____ ☐ Expired ☐ AMA
 Mode: ☐ W/C ☒ Walk ☐ Carry ☐ Ambulance: _____
☐ Other: _____
 LEFT WITH: ☐ Self ☐ Family ☒ Friend ☐ Police
☒ Discharge Instructions given-expresses understanding
☒ Discharge Pain Level: 4 (0-10) GCS: 15 RTS: _____
☒ Discharge by: W. Prok @ 1713

☐ Inpatient ☐ Observation ☐ Surgical
☐ Mode: _____ Time: _____ Accompanied by: _____
☐ ER hold from _____ to _____
☐ To unit/room # _____
☐ No old chart ☐ Old chart in ED ☐ Chart to floor
☐ Discharge Pain Level: _____ (0-10)
 GCS: _____ RTS: _____
 Skin Integrity Intact ☐ Yes ☐ No (see documentation)

Discharge Vital Signs: _____

Discharge Summary: _____

RN: W. Prok Initials: W. Prok RN: _____ Initials: _____
 Tech: Rebecca Roth Initials: Rebecca Roth

EMERGENCY ADMISSION ASSESSMENT

PRINTED BY: 9180422

DATE 12/08/2011